

Tetra Tech, Inc.

4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108 Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest of Building 1794, west of Watt Road.

7	
Date Started: 9/29/97 Completed: 10/7/97	
Logged By: W. Drake Checked By: K. McNamara, R.C	
Drilled By: B. Carpenter, S/G Testing Km #6678	
Drilling Equipment: CME 75, 8" and 10" HSA	
Sampling Equipment: 2-inch I.D. Split Spoon	
GS Elev.: 132.3 ft above MSL TD: 149.0 ft	7

4" PVC Blank Casing:	from	0 ft bgs to	137.5 ft bgs
0.01" Screening Casing:	from	137.5 ft bgs to	147.5 ft bgs
Bentonite/Cement Grout:	from	2 ft bgs to	133 ft bgs
Bentonite Transitional Seal:	from	133 ft bgs to	135 ft bgs
Sand Filter Pack:	from	135 ft bgs to	148 ft bgs

TOC Elev.: 134.30 ft above MSL

(ft. bgs)		MATERIAL DESCRIPTION	Material Symbol	Material Type	Con	Well struct	tion	Sample	Blow Counts per 6"	Percent Recovery	PID (ppm) Amb/Smp	REMARKS
		sand, dark yellowish brown (10YR 3/4), fine to medium		SP								Start drilling 1032
	-	grained, subrounded to rounded, loose, dry, trace fines, dune sand.										
	_											•
	_							Ь				
	_										i	
5	_									į		
	_											
	-							1				
	-	yellowish brown (10YR 5/4), very dense, slightly moist.							12	75	0/	Sample
0							/////////////////////////////////////	$\sqrt{ }$	12 21	, ,	632	V14MW3-10
							/	\setminus	27 34			submitted for chemical tests.
i	-											
	_											
	-											
	_											
											- 1	
;	-											
	_											
ŀ	-	ļ										
	_											
		·										
-	-								10			
0			٠. ١			K	/ 1	7	12 27	75	0/ 176	

84 ft. bgs. 👱 Groundwater depth during drilling 84.28 ft. bgs. 👱 Groundwater depth after well development on: 10/24/97

TC Number: A224-02

TETRA TECH, INC.

Page 1 of 7



Tetra Tech, Inc.

4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108 Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest

of Building 1794, west of Watt Road. Well Construction Material Type Depth (ft. bgs) Sample MATERIAL DESCRIPTION REMARKS 20 sand, yellowish brown (10YR 5/4), fine to medium SP 40 grained, subrounded to rounded, very dense, slightly 50 moist, trace fines, dune sand. 25 dark yellowish brown (10YR 4/4). 60 12 0/ 27 30 21 50/4" 35 13 50 0/ 14 61 40 dense. 15 21 45

TC Number: A224-02

TETRA TECH, INC.

Page 2 of 7



Tetra Tech, Inc. 4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108

Project: Vandenberg Air Force Base Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest of Building 1794, west of Watt Road.

Depth (ft. pgs)	MATERIAL DESCRIPTION	Material Symbol	Material Type	Well Construction S S S S S S S S S S S S S S S S S S S	Counts per 6"	Percent Recovery	PID (ppm) Amb/Smp	REMARKS
50	very dense, moist.		SP	50		60	0/ 54	
55								
-	dense.							
50					11 13 17 22	50	0/119	Sample V14MW3-60 submitted for chemical tests.
55 -								
70	-				6 (60	0/0	Sample V14MW3-70 submitted for chemical tests.



TC Number: A224-02

Tetra Tech, Inc. 4213 State Street, Suite 100

4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108 Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest of Building 1794, west of Watt Road.

		of Building 1794, west of Watt Road.								
Depth (ft. bgs)	MATERIAL DESCRIPTION	Material Symbol	Material Type	Construction Construction	Blow Counts	Percent Recovery	PID (ppm) Amb/Smp	REMARKS		
70 - - -	medium dense, moist.		SP \\ \frac{\frac{1}{2}}{2}		15 19 5 8 11 14	50	0/0	Sample V14MW3-80 submitted for physical tests. Groundwater encountered at 84 ft bgs. Groundwater Sample 14MW3-88 submitted for chemical tests.		
90 -	silty sand, brown (10YR 4/3), fine grained, poorly graded, subrounded, medium dense, wet, little fines, alluvium.		 SM		0 4 6 20	0		No recovery due to heaving sands. Resume drilling at 0900, 4/30/97.		



TC Number: A224-02

Tetra Tech, Inc. 4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108

Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest

of Building 1794, west of Watt Road.

MATERIAL DESCRIPTION Waterial Output Output	Material Namerial Symbol Supplemental Symbol Symbol Supplement Symbol Supplement Supplement Symbol Supplement
95	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
110 —	0/ Heaving sands. 0900, 10/1/97, Drilling continue without rod. Lithology approx by soil cuttings.

TETRA TECH, INC.

Page 5 of 7




Tetra Tech, Inc.

4213 State Street, Suite 100 Santa Barbara, CA 93110-2847 VOICE (805) 681-3100 FAX (805) 681-3108 Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest of Building 1794, west of Watt Road.





Tetra Tech, Inc.4213 State Street, Suite 100
Santa Barbara, CA 93110-2847
VOICE (805) 681-3100 FAX (805) 681-3108

Project: Vandenberg Air Force Base

Log of Well No. 14-MW-3

Location: OU4, Site 14, approximately 900 ft. southwest of Building 1794, west of Watt Road.

(sg (;t)) 145	MATERIAL DESCRIPTION few cherty gravel. shale, dark grayish brown (10YR 4/2) hard, Monterey Formation.	Material Symbol	Material Type	Well Construction	Sample	Blow Counts per 6"	Percent Recovery	PID (ppm) Amb/Smp	REMARKS End drilling at 1230, 10/1/97.
- - - -	shale, dark grayish brown (10YR 4/2) hard, Monterey		SM		}				End drilling at
L55 — — — — — — —			Shale						Lithology based or drill rate and shale cuttings removed from auger. T.D. of 8 inch pilot hole at 149 ft. Ream hole to 148 ft with 10 inch auger. Heaving sands. Construct 4 inch well using 0.01 inch prepack screen.
- - -									
L65									